

FULL ELECTRIC

4x90W LED-7M



PHOS

FULL ELECTRIC

4x90W LED- 7M

- Multi-directionally adjustable and tiltable floodlights
- 5 sections manual vertical tower 7m, 340° rotatable
- Standard timer for machine power on and off
- Galvanized metalworks
- 80 µm powder coating
- Very compact dimensions for easy handling & transportability, up to 22 units per truck
- Central lifting eye longitudinal and transversal forklift pockets for effective handling
- Plug & play, colour coded cables and connectors
- Guided main coiled cable to avoid damage during tower operation
- Certified wind stability up to 110 km/h
- 4 height adjustable stabilizers
- On board levels for guidance during stabilization
- Running time 36h (optional 72h)
- 24 volt DC Battery
- Floodlights 4x90W
- Recharging in 12 hours
- 230V 1PH Battery charger built-in

- LED Technology
- Safety vertical mast
- AGM battery
- Anti-corrosion protection
- Fork lift pocket
- Working time 36/72 H



Illuminated area
2000 sqm



7m



740Kg



340°



battery



APPLICATIONS

technical data

| Dimensions & weight | | Battery | |
|----------------------|---|-----------------------------------|-------|
| Dimensions min. (mm) | 1200x1200x2300 | Model | Trime |
| Dimensions max. (mm) | 2500x2500x7000 | Type | AGM |
| Total weight | 740 Kg | Volt | 24 |
| Features | | Running time | 36h |
| Rotation | 340° | Recharging time | 12 h |
| Floodlights | 4x90W | 230V 1PH Battery charger built-in | |
| Lamps | LED | | |
| Options | Extra 24 volt DC Battery Pack X Extra 36h (total 72h) | | |

Standard load delivery


22sets



Units Per Truck

Illuminated area (5 lux min.)

2000 sqm





PHÒS

Diesel- Hybrid- Electric- Solar- Portable

